O.M.B. No 3067-00 Expires May 31, 19!

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

DIN DING CONTROL	SECTION A PR	OPERTY INFO	RMATION		FOR INSURANCE COMPANY USE		
BUILDING OWNER'S NAME Russell Cheatham					POLICY NUMBER		
STREET ADDRESS (Including Ap 15841 Redington I	Drive				COMPANY NAIC NUMBER		
OTHER DESCRIPTION (Lot and I Lot 8, Block 23,	Block Numbers, etc.) THIRD ADDITION	Plat B ON TO LONE	ook 20, Page 74, PALM BEACH	Public Reco	rds of Pinellas Co.,		
Redington Beach	##, USS			STATE Florida	ZIP CODE 33708		
	SECTION B FI	LOOD INSURA	NCE RATE MAP (FIRM)	INFORMATION			
Provide the following from the	ne proper FIRM (See	Instructions):					
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION		
125140	0004	С	3/02/83	Al2	(in AO Zones, use depth)		
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): XNGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7)							
	SECTIO	ON C BUILDIN	NG ELEVATION INFORM	IATION			
 (b). FIRM Zones V1-V30, V the selected diagram, is (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The floone) the highest grade level) elevated in accor 3. Indicate the elevation datu under Comments on Page 	t NGVD (or other FIR /E, and V (with BFE). Is at an elevation of L. BFE). The floor used the highest grade ad oor used as the refer adjacent to the buildidance with the commum system used in de 22). (NOTE: If the e	M datum—see so the bottom of as the reference in the business of the business	Section B, Item 7). (Lift the lowest horizontal strate feet NGVD (or other FIRE ce level from the selected wilding. If the selected diagram is depth number is available at management ordinance above reference level elevalused in measuring the elevalused in the elevalused	uctural member of datum—see See didagram is feet abe, is the building's vations: X NGV	of the reference level from ction B, Item 7). feet above or ove or below (check blowest floor (reference) No Unknown o'29 Other (describe)		
equation under Comment	, item 7j, tnen convei s on Page 2.)	π the elevation	s to the datum system us	ed on the FIRM a	and show the conversion		
4. Elevation reference mark					e Comments)		
 The reference level elevat (NOTE: Use of constructi case this certificate will on will be required once const 	on drawings is only v ly be valid for the buil truction is complete.)	alid if the buildi ding during the	ing does not yet have the course of construction.	reference level fl A post-construction	on Elevation Certificate		
6. The elevation of the lowes Section B, Item 7). Gar	t grade immediately a rage Floor Elev	adjacent to the vation = 5			or other FIRM datum-see ration = 5.90 feet		
	SE	CTION D CO	MMUNITY INFORMATIO	N			
 If the community official re is not the "lowest floor" as floor" as defined by the ord Date of the start of construction 	defined in the commi	unity's floodplai	n management ordinance GVD (or other FIRM datur	e, the elevation of n-see Section B.	the building's "lowest		

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE), V1–V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, ma so sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a prope wher, or an owner's representative may also sign the certification.


Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

-⁄ay wall, ∋(s) not

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section

lable.

CERTIFIER'S NAME		LICENSE NUMBER (or Affix Seai)					
Nicholas Circello		4898					
TITLE		COMPA	NY NAME				
Land Surv	eyor /	George F	. Young, Inc.				
ADDRESS		CITY		STATE	ZIP		
299 Ninth Street North		St. Pete	rsburg	FL	33701		
SIGNATURE	. -/ /	/ . //	DATE	PHONE			
	Natur	Linetto	6/9/93	813/822-4317			
		anoute for. 1) community	official, 2) illisurance agei	nt/company, and 3) building	g owner.		
COMMENTS:					-		
	BenchMark: P:	inellas County Map	#211 "Redington R	4-3" located 145,5'	North		



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.